

In cooperation with

BASF

We create chemistry

Power-to-Methanol at Small-Scale



Standardized *Flex*Methanol Units **Our Vision** Mankind has always dreamed about sources are by far unused resources. Methanol, however, is a product that is already used as fuel. endless energy sources produced 10 20 from air and water which also save A mass market with premium prices has been the climate. Already today we can established for this application. H, will then be Megawatt tap natural resources like wind and electro-chemically produced when power is Electricity solar power to provide unlimited cheap. In the consequence, FlexMethanol with liquid energy with pure CO₂ and

a modularized construction increases the value of power in existing stations by transforming

H₂ from water electrolysis. The CO₂ and power from renewable power to a liquid form. FlexMethanol means profitable at all times

FlexMethanol will enable economically viable transformation of excess current and off-gas CO₂ into the chemical energy storage in small-scale and delocalized production units. Core of the plant is the tailor-made catalyst of BASF to convert CO₂ without a cost intensive prior water-gas-shift reaction. FlexMethanol consists of 4 industrially avail-

able process steps (electrolysis, CO, scrubbing, methsynthesis, distillation) as 10 and 20 MW module. modules are scalable up to 100 MW and thermodynamically

intercon-

Proven.

Profitable.

n e c t e d

existing asset. This increases the total efficiency of the process. FlexMethanol stabilizes the revenues significantly by operating in two ways depending on the power price. If the price is above the internal marginal price the plant feeds into the grid. Otherwise the plant uses the excess current to produce H₂ through discontinuous electrolysis. In a second step, methanol is produced from CO₂ and H₂, thus leading to a valorizing of excess current and CO₂ off-stream gas. In the second process step, BASF's catalysts will be used for the methanol synthesis step. Those catalysts have been further tuned and adapted for this specific process to enable the most efficient production of methanol. Methanol is one of the most important basic chemicals used in numerous industrial applications. For ex-

ample, it is used in the biodiesel production or blended into gasoline. Did you know that in China, 200 million cars run with methanol blends? How about 150 million cars in Europe with methanol as antiknock agent?

FlexMethanol 10 & FlexMethanol 20



12,000 24,000 Carbon Dioxide

8,200 16,400 Methanol

Execution Steps

Process

economic

validation

to secure

investment

intention

13,000 26,000 Oxygen

AkerSolutions

www.akersolutions.com

BASF

www.catalysts.basf.com

bseengineering

• Business Developer

Plant integration

In cooperation with

Provider of unique CCUS technology

· Just Catch - standard and modular design

· Robust and environmentally friendly solvent

· Verified performance on waste incineration,

cement, coal and gas fired power plants

· World leading chemical company

Largest catalyst company worldwide

Engineering and process provider

• Exclusive BASF - Catalyst supplier

Pioneer of methanol synthesis

17,500 35,000 **Heat Potential**

based on 8,760 hours

Performance

Flexible Operation

Flexibility range 10-120 % < 15 seconds

efficient 55-74 % efficiency on electricity used, heat integration

Highly

4 industrial available process steps

Reduction of technical and operational risks 1111

Electrolysis

100 %

remium Fuel

Free choice, defined together

Tailor-made **BASF Catalyst**

High activity / stability, optimized for xible operation

Low investment

CAPEX ≤ 3,000 €/kW

No water-gas shift reaction

here is no need for capital cost intensive Steam Reforming

Skid-mounted pre-fabricated

Thus short onstruction tim and short startup time

100 %

with the use of

Premium Fuel 🕌

No tars. no waste

Methanol synthesi works on pure gases without any impurities

Biodegradable Amines

Environmentally friendly and low risk of approval

Gas Loop

Operation

Complete

conversion of

arbon to methand

hot-standby

100 %

Premium Fuel

with the use of

Mild process Basic conditions Engineering

Low to prepare final investment pressure 40 bar. decision 240 °C

Execution and

Start-up

www.bse-engineering.eu

InfraServ **KNAPSACK**

- Over 180 engineers
- Over 100 years experience
- Process development
- Conceptual design
- Basic, detail engineering www.infraserv-knapsack.de

SULZER

- · Most complete portfolio of distillation
- The leading expert and solutions provider for continuous, single-/multi-stage distillation
- Taylor-made design of highly efficient separation process

www.sulzer.com

We are an experienced & strong consortium who works with passion & skills to provide the best solution for

Climate-friendly fuel in a premium market.

Low carbon economy has to circle more carbon to become resource efficent.

FlexMethanol brings reindustrialisation for:

Waste incineration plants

Paper mills

Heat driven process

Fossil power plants

More Sustainability Less Carbon Dioxide.



CONTACT US



bse Engineering Leipzig GmbH Mottelerstrasse 8, D-04155 Leipzig, Germany



+ 49 341 609 12 0



office@bse-engineering.eu

www.bse-engineering.eu

All data provided in this document is non-binding. This data serves informational purposes only and is not guaranteed in any way. Depending on the subsequent individual projects, the relevant data may be subject to changes and will be assessed and determinated individually for each project. The desired performance features are only binding if they are expressly agreed upon conclusion of the contract.